

REFRIGERATOR SS 1 DOOR 560L

€1,950.00

SKU:

7450.0250

Discover our high-quality stainless steel refrigerator with 1 door – the perfect choice for professional kitchens!



This stylish and durable refrigerator combines functionality with design. With its spacious interior and ventilated cooling system, it delivers optimal performance and reliable storage for your chilled products. The reversible door with a lock provides extra flexibility and security. The dimensions are 740x875x2090 mm (WxDxH) – power consumption 0.76 kW – capacity 560 liters – temp. +2/+8°C – weight 130 kg.

Key features:

- **Energy-efficient design:** With energy label A and 100 mm insulation for minimal energy consumption.
- **Space for 15x 2/1GN trays:** Flexible layout for efficient storage.
- **Ventilated cooling:** Ensures a constant temperature, ideal for various products.
- **LED lighting:** Illuminates the interior brightly and efficiently.
- **Automatic defrosting:** Saves time and minimizes maintenance.

With a sturdy stainless steel design and high-quality components, this refrigerator is built for durability and heavy-duty use. Whether you're in a restaurant, catering business, or retail store, this stainless steel refrigerator is the perfect choice for reliability and style. Order now and experience the perfect combination of performance, energy efficiency, and design!





EAN code	7422242989999	Width (mm)	740
Depth (mm)	875	Height (mm)	2090
Material	Stainless steel 430	Material interior	Stainless steel 304
Color	Stainless steel	Parcel ready	No
Gross Weight (kg)	130	Voltage (Volt)	230
Frequency (Hz)	50	Electrical power (kW)	0,76
Model tabletop/ freestanding/drop-in	Freestanding	Cooling agent	R 600 A
Temperature range (°C)	+2/+8	Number of guide pairs	15
Number of grids	3x 2/1GN	Guides distance (mm)	80
Max. grid load (kg)	25	Gross Capacity (Ltr)	560
Dim. interior WxDxH (mm)	533x700x1501	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	Yes
Mobile	No	Number of doors	1
Door left / right hinging	Right hinged	Door reversible	Yes
Defrost	Automatic	Max. ambient temperature (°C)	43
Insulation thickness (mm)	100	Energy label	A
Brand	COMBISTEEL	Refrigerant quantity (gr)	100
EPREL ID	2019807	Plug and play (EU only)	Yes



